

PEGASI

PEG-BBP-BASICKIDS

















Notice to assemblers:

*All the basketball systems, including those used for displays must be assembled and ballasted according to instructions. Failure to follow instructions could result in serious injury.

*Please read all warnings and cautions before assembly. It is recommended to supervise children as they play with this product. This product is to be assembled by 2 adults only!


PARTS LIST

#I 1PC	#A 1PC	#J 1PC	#M 1PC
#G 2PCS	#L1 1PC	#L2 1PC	
#K 1PC	#S 1PC	#W 1PC	
		#X 1PC	
#Y 1PC	#B1,2,3 8X35MM 4PCS	#C1,2,3 8X20MM 2PCS	
#D1,2,3 8X55MM 2PCS	#E1,2,3 8X60MM 2PCS		

Assemble the Base

Assembling the base main pole

Fix the bottom pole Y on base BB by M and G.



Install 2pcs main poles X,Y together by bolts set D1,D2,D3.


As shown in the figure, fix the pole brace (U1,U2) on bottom pole(Y) and base (S) by bolt (C1,C2,C3 and bolt (E1,E2,E3).

Assemble the Upper Elevator

Backboard/Hoop/Support Rod

1. Rim, backboard and top tube.

Assemble the rim(I), backboard(K) and top tube(W) by bolt(B1,B2,B3).



2. Middle tube and top tube.

Insert the top tube (W) into the middle tube (X) by bolt(D1,D2,D3).

The height is adjustable as per requirement.

Lock the tubes by the fix screw (A).


ASSEMBLY

Attach the net (**I**) to the rim (**J**) as shown.



BASECOUNTERWEIGHT

Filling the Base (s) with water or sand to keep steady



Moving the system

- * The system should be moved by at least 2 adults capable of handling its weight. Children should not be allowed to move the system.
- * Stand in front of the system and pull the pole forward until the system is balanced on its wheels.
- * Move the system to the desired location and carefully set the base down

WARNING ! !

FAILURE TO COMPLY WITH THESE WARNINGS COULD RESULT IN INJURY.

FAILURE TO COMPLY COULD ALSO RESULT IN PROPERTY DAMAGE.

1. Never hang from the rim or climb on the pole as injury or property damage could occur. For these reasons do not perform dunking type activities on this system as it is not designed for such use. Do not allow children to climb on the basketball system.
2. Never leave the unit assembled without weight in the tank.
3. Check the base frequently for leaks or loose cap. Slow leakage could cause the system to tip over unexpectedly and damage the floor if used inside.
4. Seat the pole sections properly. Not doing so might allow the pole sections to separate during play or during transportation for this system.
5. Further check before each use if all fittings and hardware are tight
6. Climate, corrosion or misuse could result in system failure.
7. This system is not intended for children 3 and under.
8. All players must use sufficient guards when playing.

POLE CARE AND SYSTEM MAINTENANCE:

The life of your basketball system depends on many variables. The climate, exposure to corrosives such as salt, pesticides or herbicides and excessive use or misuse can all contribute to pole failure, which may cause property damage or personal injury.

Check your basketball system frequently for loose hardware, excessive wear and signs of corrosion. For safety reasons and to prolong the life of your basketball system, you must take the following preventive measures:

- * Check all nuts and bolts. If any are loose, tighten them.
- * Check all pole sections for visible rust, chipped or cracked paint. If either are present, do the following:
 1. Use an emery cloth to completely remove any rust or chipped paint.
 2. Clean the area with a damp cloth and allow it to dry.
 3. Apply two coats of a rust preventative, high gloss enamel to the area. Allow the paint to dry between two coats.